




This Product Has Been Tested and Complies with 7USC1639o(1) Definition of Hemp



ISO/IEC 17025:2017
ACCREDITED
Certificate #4961.01



<https://portal.a2la.org/scopepdf/4961-01.pdf>

Lot# 20358A

Sample Handling

tincture

test ID	sample wt
type tincture	order 9322
lab ID 0MW21	sample date 12/28/2020
unit	unit weight

Methods

	method	equipment
weights	MSP-7.3.1.3	AUX120.1
potency	MSP-7.5.1.5	LC-2030
terpenes	MSP-7.5.1.7	QP2020/HS20
pesticides	MSP-7.5.1.8	LC-8060
mycotoxins	MSP-7.5.1.8	LC-8060
microbial	MSP-7.5.1.1	AriaMx/Hardy
solvents	MSP-7.5.1.6	QP2020/HS20
metals	MSP-7.5.1.1	ICPMS2030



Potency	per	estimated error	Terpenes	%	estimated error	%	estimated error	%	estimated error
---------	-----	-----------------	----------	---	-----------------	---	-----------------	---	-----------------

not tested

terpenes
not tested / not required

Solvents	MT limit	0MW21	LOQ	Pesticides (MT)	MT limit	0MW21	LOQ	Pesticides (other)	0MW21	LOQ
----------	----------	-------	-----	-----------------	----------	-------	-----	--------------------	-------	-----

pesticides
not tested / not required

not tested /
not required

Toxic Metals	MT limit	0MW21	LOQ
--------------	----------	-------	-----

metals
not tested / not required

Microbial	MT limit	0MW21	LOQ
<i>E. coli</i>	10 CFU	0 CFU	<10 CFU/g
Salmonella sp.	10 CFU	0 CFU	<10 CFU/g
molds	10000 CFU	0 CFU	<10k CFU/g

Comments

• All testing was completed onsite at 6073 US93N, Olney MT •• Potency (cannabinoid concentration) is calculated from the equation: [cannabinoid] = [cannabinoid]_{HPLC} x volume_{dilution} / m_{dry}. Terpene concentration is calculated from the equation: [terpene] = (terpene mass)_{GCMS} / m_{dry}. ••• Decarboxyted cannabinoid concentration is calculated from the equation XXX_{total} = 0.877 x XXX_a + XXX •••• Standards are used to calibrate the resulting data and estimate error using a standard estimate of error method; this is combined with error from weighing and dilution using the propagation of error formula s_g² = Σ(∂f/∂i)²s_i² where i is the contributor to error. The 95% confidence range is calculated from the equation: (concentration) ± t_{CL90} x s_g. Sampling error is not

Certified by:

Kyle Larson, MSc (Biology)
Deputy Director
6073 US93N, Olney MT 59927
406-881-2019 rdb@stlmlabs.com